

SAR 115-220

Automatic ironing machine for ribbons,
woven labels and elastics



SAR 115-220

Basic configuration

- 2 Unwinders at the input
- Photocells to stop the machine at the end of the tape
- Ironing system with calender plate that automatically lifts when the machine stops
- Micro-switch safety devices as by CE regulations
- Meter-counter
- Rewinder at the output

Accessories

- **Su 35:** ultrasonic welding unit to splice the tapes
- **Additional rewinder** for transfer printing
- **Teflon belt protection device** composed of a supplementary unwinder and a stand-alone rewinder for the backing paper (especially used during transfer printing and to avoid sticky residue on the sliding belt)
- **Worktable with shelf and drawers**
- **Centre folding unit for woven labels**

Applications

- Ironing
- Application of Thermo-adhesive backing
- Transfer printing




SU 35

SU 35



Technical data	SAR 115	SAR 220
Ribbon minimum width:	4 mm - 5/32 in	4 mm - 5/32 in
Ribbon maximum width:	120 mm - 4 23/32 in	220 mm - 8 21/32 in
Calender plate dimensions:	125 x 1200 mm (4 15/16x47 1/4) in	220 x 1200 mm (8 21/32x47 1/4) in
Productivity:	up to 40 m/minute - 43 yd/minute	up to 40 m/minute - 43 yd/minute
Power supply:	400 V three-phase 50 Hz	400 V three-phase 50 Hz
Consumption:	7,5 kW	7,5 kW
Machine dimensions	(2500 x 650 x 680 h) mm - (99 x 26 x 27 h) in	(2500 x 650 x 680 h) mm - (99 x 26 x 27 h) in
Weight:	495 kg - 1090 lb	495 kg - 1090 lb
Machine dimensions + worktable	(2600 x 850 x 1430 h) mm - (103 x 34 x 57h) in	(2600 x 850 x 1430 h) mm - (103 x 34 x 57h) in
Weight:	670 kg - 1476 lb	670 kg - 1476 lb
Machine dimensions + worktable + su 35	(3000 x 850 x 1600 h) mm - (119 x 34 x 63h) in	(3000 x 850 x 1600 h) mm - (119 x 34 x 63h) in
Weight:	750 kg - 1652 lb	750 kg - 1652 lb



SAR 115



CARTES s.r.l. - 2, Via Michelangelo - 46024 MOGLIA (MANTOVA) ITALY
Tel. + 39 0376 511 511 Fax + 39 0376 55 77 55
www.cartes.it - info@cartes.it